

PROMOTIONS

Valid from July 1st to October 31st, 2026

2026

CERMET GRADES FOR STEEL FINISHING TURNING

Cermet grades with remarkable stable tool life due to incredible fracture resistance

BUY 30 inserts

AND

GET 10 corresponding inserts


FREE
of charge!

Promo Code: TG274

*Offer must be ordered through our Customer Service Team, not available on Webshop.

Inserts:

ISO type



ECONOMICAL DOUBLE-SIDED POSITIVE INSERT

Innovative geometry and seat interface ensures stability and high performance

BUY 20 inserts

AND

GET 1 corresponding holder at

50%
additional
discount!
Promo Code: TG275



*VALID FOR ONLINE ORDERS ONLY

Inserts (Grades: SH725, AH725, AH8015, T9200, GT9530, NS9530, KS05F):

WXGU
DXGU
DXMU
VXGU
CXMU

Toolholders:

JPD/V/W
JS**
JSD**
JSV**
JSW**
A**-SCL**
A**-SDX**
A**-SDZ**
A**-SWL**



ISO-ECOTURN SMALL SIZE INSERTS, FOR AN ECONOMICAL ADVANTAGE

ISO-EcoTurn inserts match standard insert thickness and chipbreaker geometry, delivering equivalent cutting performance with reliable chip control up to 0.118" depth of cut.

BUY 30 inserts

AND

GET 10 corresponding inserts



FREE
of charge!

Promo Code: TG276

*Offer must be ordered through our Customer Service Team, not available on Webshop.

Inserts (Grades: AH120, AH6200, AH8015, AT9530, GT9530, NS9530, T5115, T515, T6200, T9200):

ISO type



MULTIFUNCTIONAL TOOL FOR IMPROVED PRODUCTIVITY

A single TungBoreMini tool can handle multiple operations such as ID turning after drilling, facing and OD turning without exchanging the tools.

BUY 10 inserts

AND

GET 1 corresponding toolholder at

50%
additional
discount!
Promo Code: TG291

*Offer valid up to 0.984" (25 mm) DMIN. VALID FOR ONLINE ORDERS ONLY.

Inserts (Grades: AH725):

XCMT-PS

XOMU-PS


Toolholder:

TBM

TBM

Holder for Drilling and Turning

DMIN = 0.315" - 0.984"




XOMU-PS

Double-sided insert with 2 corners

Toolholders for

DMIN = 0.394" - 0.984"



XCMT-PS

Single-sided insert with 2 corners

Toolholders for

DMIN = 0.315"



SUPERB STABILITY AND PRODUCTIVITY IN DEEP FACE GROOVING OPERATIONS

Newly designed insert profile ensures unobstructed chip flow and consistent chip evacuation.

BUY 20 inserts

AND

GET 1 holder or blade or adapter

FREE
of charge!

Promo Code: TG277

BUY 20 inserts

AND

GET 1 CHP holder or CHP blade at

50%
additional discount!

Promo Code: TG277

*VALID FOR ONLINE ORDERS ONLY

Inserts (Grades: AH7025, AH6235):

QGM, QGS and QTX

CW = 0.078", 0.118", 0.157", 0.197", 0.236" and 0.315"

Max. grooving depths for face grooving

CDX = 1.65"

Adapters:

QSDR/L-CHP...

Face grooving adapter

(for CW = 0.118",

0.157", 0.197"

CDX = 1.02" - 1.65")

Holders for adapters:


QHSR/L-CHP, QHTR/L-CHP,

QSER-CHP, QSER/L

Blades:

QSG, QSP, QSP-CHP

(for CW = 0.079", 0.118", 0.157", 0.197")



MULTI-FUNCTIONAL SYSTEM FOR DIVERSE GROOVING NEEDS

Multi-functional tool series offering a wide range of grades, geometries and holder variations for maximum performance with minimum tool investments.

BUY 20 inserts

AND

GET 1 corresponding holder

FREE
of charge!

Promo Code: TCA16

BUY 20 inserts

AND

GET 1 corresponding CHP holder at

50 %
additional discount!

Promo Code: TCA16

*VALID FOR ONLINE ORDERS ONLY

Inserts:

DGS, DGG, DGM, SGM, SGS, DGIM, DGIS, DGE, DGL, DTX, DTM, DTR, STR, DTV, DGL, DGG, DTE, DTI, DTF, DTIU, DTA

Holders:

JTTER/L, JCTER/L, CGER/L, CTEFR/L, CTER/L, CGEUR/L, CTER/L-CHP



SMALL-SIZE DOUBLE-ENDED INSERTS FOR INTERNAL GROOVING

Optimized screw placement boosts clamping strength and chatter resistance, while larger pockets improve chip evacuation and internal coolant enhances performance.

BUY 10 inserts

AND

GET 1 corresponding toolholder at

50%
additional
discount!
Promo Code: TG278

*VALID FOR ONLINE ORDERS ONLY

Inserts (Grades: AH7025, AH725):

DGS*S

DTR*S

STV*S

Toolholder:

CTIR**S



CTIR**S



DGS*S

Lower cutting force and superior sharpness

CW = 0.079" - 0.118"
(2 - 3 mm)



DTR*S

Full radius type
CW = 0.079" - 0.118"
(2 - 3 mm)



STV*S

For profiling applications



ULTIMATE HIGH FEED MILLING CUTTER SERIES FOR MAXIMUM PRODUCTIVITY

Small diameter high-feed milling cutter for expanded application coverage, featuring cutter bodies as small as $\varnothing 0.375"$

BUY 10 inserts per
AND pocket up to max 50 inserts
GET 1 cutter

FREE
of charge!
Promo Code: TG280

*VALID FOR ONLINE ORDERS ONLY

Insert (Grades: AH3225, AH130, AH8015):

LNMU02-MM

Cutter bodies:

Shank type:

EXN02R... (Short type)

EXN02RL** (Long type)

DCX = $\varnothing 0.375"$ – $\varnothing 1.000"$

$\varnothing 8$ – $\varnothing 25$ mm

Modular type:

HXN02-MM (TungFlex connection)


HXN02-MS (TungMeister connection)

DCX = $\varnothing 8$ – $\varnothing 16$ mm



LNMU02-MM

Double-sided,
4-edged insert
APMX = 0.020"



VERSATILE SHOULDER MILLING CUTTER WITH UNIQUE V-SHAPED INSERT BOTTOM FOR MAXIMUM PRODUCTIVITY

Unmatched stability across all materials, with an innovative clamping system

BUY 10 inserts per
AND pocket up to max 50 inserts
GET 1 cutter

FREE
of charge!
Promo Code: TG282

*VALID FOR ONLINE ORDERS ONLY

Inserts (Grades: AH3225, AH3135, AH120, AH130, KS05F and DS2005):

AVGT06-MJ/-AJ

Cutter bodies:

Shank type:

EPAV06

DC = $\varnothing 0.313$ " – $\varnothing 1.000$ "

$\varnothing 8$ – $\varnothing 32$ mm

Bore type:

TPAV06

DC = $\varnothing 40$ mm


Modular type:

HPAV06-M (TungFlex connection)


DC = $\varnothing 10$ – $\varnothing 16$ mm

HPAV06-S (TungMeister connection)

DC = $\varnothing 10$ – $\varnothing 16$ mm



AVGT06
APMX:
0.236"



HIGH PRODUCTIVE AND COST-EFFECTIVE SHOULDER MILLING CUTTER

Economical shoulder mill with an innovative 6-edged geometry offers maximum performance in various applications

BUY 10 inserts per
AND pocket up to max 50 inserts
GET 1 cutter

FREE
of charge!
Promo Code: TG283

*VALID FOR ONLINE ORDERS ONLY

Insert (Grades: AH3225, AH3135, AH120):

TN MU07-MJ

Cutter bodies:

Bore type:

TPTN07

DCX = $\varnothing 2.000''$

$\varnothing 40 - \varnothing 50$ mm

Shank type:

EPTN07

DCX = $\varnothing 0.750'' - \varnothing 1.500''$

$\varnothing 18 - \varnothing 32$ mm



TN MU07-MJ
with built-in wipers
APMX = 0.256"



HIGH FEED MILLING CUTTERS ENABLING LONG OVERHANG APPLICATIONS AND EXTENDED TOOL LIFE

Optimal depth of cut can be selected in machining various work materials

BUY 10 inserts per pocket UP TO MAX 50 INSERTS
AND GET 1 Cutter

FREE
of charge!

Promo Code Size 09 Inserts: TCA19
Promo Code Size 15 Inserts: TCA20

*VALID FOR ONLINE ORDERS ONLY

Limited up to diameter 5" (125 mm)

Inserts (Grades: AH3225, AH3135, AH120, AH130 AH8015):

SWMT09/15ZER
SWMT09/15UER
SWMW09ZSR
SWMW09/15USR

Cutter bodies:

Bore type:

TXSW09/15

DCX = $\phi 1.50"$ - $\phi 5"$ ($\phi 40$ - $\phi 125$ mm)

Shank type:

EXSW09

DCX = $\phi 1.00"$ - $\phi 1.25"$ ($\phi 25$ - $\phi 32$ mm)

Modular type:

HXSW09 (TungFlex connection)


DCX = $\phi 25$ - $\phi 32$ mm




SWMT09/15ZER**
APMX:
SWMT09**ZER: 0.059"
(1.5 mm)
SWMT15**ZER: 0.098"
(2.5 mm)



SWMW09ZSR
APMX: 0.059"
(1.5 mm)



SWMT09/15UER**
APMX:
SWMT09**UER: 0.039"
(1 mm)
SWMT15**UER: 0.078"
(2 mm)



SWMW09/15USR
APMX:
SWMW09**USR : 0.039"
(1 mm)
SWMW15**USR : 0.078"
(2 mm)



PROFILING CUTTER FOR 3-DIMENSIONAL MACHINING DUE TO HELICAL CUTTING EDGES

Unique twisted insert geometries assures secure insert clamping for high stability.

Two types of inserts fit one cutter: radius and high efficiency inserts.

BUY 10 inserts per pocket
AND
GET 1 Cutter
up to max 50 inserts

FREE
of charge!

Promo Code Size 04 Inserts: TCA21
Promo Code Size 06 Inserts: TCA22

*VALID FOR ONLINE ORDERS ONLY

Insert:

LNMX04/06-MJ/ML (Radius type)
(AH3135, AH120, AH8015, AH3225)
APMX = 0.157" - 0.236"

LNMX04/06-HJ/HL (High-feed type)
(AH3135, AH120, AH8015, AH3225)
APMX = 0.051" - 0.079"

Shank type:

EXLN04/06R... (Short type)
EXLN04/06RL...** (Long type)
DCX = $\varnothing 0.787$ " - $\varnothing 2.000$ ", $\varnothing 20$ - $\varnothing 40$ mm

Modular type:


HXLN04/06R...
DCX = $\varnothing 0.750$ " - $\varnothing 1.250$ ",
 $\varnothing 20$ mm - $\varnothing 32$ mm

Bore type:

TXLN04/06R...
DCX = $\varnothing 1.50$ " - $\varnothing 3.00$ ", $\varnothing 40$ - $\varnothing 66$ mm



LNMX...MJ / ML
Radius insert



LNMX...HJ / HL
High-feed insert



MORE THAN 13,000 POSSIBLE COMBINATIONS

Easy and accurate head-holder coupling provides reduced tool change time and high accuracy of cutting point repeatability

BUY 6 heads

AND

GET 1 steel shank

FREE
of charge!

Promo Code: TG284

*Offer Valid Up to 0.750" (20 mm) Shank Diameter. VALID FOR ONLINE ORDERS ONLY.

Heads (Grade: AH715, AH725, AH750, GH730, KS15F):

Square heads: **VEH, VEE, VED**

Multi-function: **VVFH**

Face mills: **VFM**

High-feed: **VFX**

Ball: **VBB, VBD, VBE**

Radius: **VRB, VRC, VRD**

Barrel: **VBO**

Bull nose: **VBN**

Lens: **VBL**

Chamfering: **VCA, VCW, VCR**

Chamfering and spot drill: **VCP, VDS**

Center drill: **VDP**

Counterboring: **VGC**

Slotting: **VST, VTB**

Threading: **VMT, VTR**

Shanks:

Straight neck type : **Steel**

Straight T-slot type : **Steel**

Taper neck type : **Steel**

High rigidity type : **Steel**

ER collet type : **Steel**



EXCHANGEABLE HEAD DRILL SYSTEM FOR SUPERIOR DRILLING PERFORMANCE AND LONG TOOL LIFE

Quick drill tip change for reduced machine downtime.

Tool inventory and management costs are significantly reduced as there is no need for regrinding.

BUY 4 drill heads

AND

GET 1 drill body

up to 3xD and Modular Type

FREE
of charge!

Drill heads

(Grades: AH725, AH9130, KS15F):

DMP, DMC, DMF, DMH, DMN, DMM

Drill bodies:

TID-F (1.5xD, 3xD, 5xD, 8xD)

TID-R (2xD, 3.5xD, 6xD, 8xD)

TIDC (3xD, 5xD)

Modular drill bodies:

TID-M (2xD, 3xD)

TID-S (2xD)

TID-L-A-M

BUY 6 drill heads

AND

GET 1 drill body

up to 5xD

FREE
of charge!

BUY 8 drill heads

AND

GET 1 drill body

up to 8xD

FREE
of charge!

Promo Codes:

1.5-2xD: TG285

3xD: TG286

Modular type: TCA18

3.5-5xD: TG287

6-8xD: TG288

*Offer Valid Up to 0.984" (25 mm) Head Diameter and Up to 8xD. VALID FOR ONLINE ORDERS ONLY.



DRILL HEADS LINEUP



DMP

Drill dia.:
ø0.236" - ø0.984"
(ø6 - ø25 mm)


General purpose drilling head ideal for various drilling applications



DMC

Drill dia.:
ø0.236" - ø0.984"
(ø6 - ø25 mm)

High-precision head with double margin and self-centering edge



DMF

Drill dia.:
ø0.236" - ø0.984"
(ø6 - ø25 mm)

180° flat edges for counterboring and flat bottoms



DMH

Drill dia.:
ø0.236" - ø0.984"
(ø6 - ø25 mm)


General purpose head with enhanced cutting edge



DMN

Drill dia.:
ø0.268" - ø0.768"
(ø6.8 - ø19.5 mm*)

Drill head with sharp edges for non-ferrous materials



DMM

Drill dia.:
ø0.393" - ø0.783"
(ø10 - ø19.9 mm*)

General purpose drilling head for stainless steel materials

DRILL BODIES LINEUP

TIDC

Drill dia.:
ø0.295" - ø0.783"
(ø7.5 - ø19.9 mm)
3xD and 5xD



TID-F

Drill dia.:
ø0.236" - ø0.984"
(ø6 - ø25 mm)
1.5xD, 3xD, 5xD, 8xD



TID-R / TID-R-E

Drill dia.:
ø0.236" - ø0.783"
(ø6 - ø19.9 mm)
2xD, 3.5xD, 6xD, 8xD



*Actual available sizes are limited within the stated range.

MODULAR DRILL BODIES LINEUP

video



TID-M

Drill dia.:
ø0.236" - ø0.744"
(ø6 - ø18.9 mm)
2xD and 3xD
TungFlex connection

video



TID-S

Drill dia.:
ø0.256" - ø0.429"
(ø6.5 - ø10.9 mm)
2xD
TungMeister connection



TID-L-A-M

Drill dia.:
ø0.256" - ø0.665"
(ø6.5 - ø16.9 mm)
TungFlex connection
drilling+chamfering /
pre-thread drilling

DCGT 21.5... inserts

Valid from July 1st to October 31st, 2026

NTK

TURNING & MINIATURE

DESIGNED FOR PRECISION MACHINING OF SMALL DIAMETER PARTS

High-precision DCGT21.5... inserts for miniature machining applications, offering stable chip control, sharp cutting performance, and excellent surface finish quality.

BUY 30 inserts

AND

GET 10 corresponding inserts

FREE
of charge!

Promo Code: NW014

*Offer must be ordered through our Customer Service Team, not available on Webshop.


Insert: DCGT21.5...

Grades:

TM4 / DM4 / DT4 / ST4 / VM1 / ZM3 and QM3

Chipbreakers:


YL, CL, AM3 and AMX




CL



YL



AM3



AMX



MEET GABBY TUNGALOY'S AI ASSISTANT FOR TOOL SELECTION

Describe your machining needs naturally and let Gabby help you explore suitable tooling solutions for Milling, Holmaking, Turning, and Grooving applications.

From catalog checks to conversational follow-up changes, Gabby simplifies access to machining knowledge through one unified AI interface.

Available through Tungaloy's websites and the Tungaloy mobile application.



HI, I'M GABBY
TUNGALOY'S AI ASSISTANT FOR TOOL SELECTION

The image shows a laptop and a smartphone displaying the Tungaloy website and app interface. The laptop screen shows the Tungaloy website with a navigation bar (Global, Africa, America, Asia, Europe) and a main content area with a large image of a building and a sidebar with links to 'Find a Milling', 'Find a Turning', and 'Find a Grooving'. The smartphone screen shows the Tungaloy app interface with a search bar and a list of recommendations. The recommendations include a 'Tool: DoTwist04', 'Cutter body: TXL1604064016_0906', 'Insert: LHX044052ER-103_AH3225', 'Operation: High-feed milling, Face milling / Shoulder milling roughing', 'Priority: Productivity / stable low-resistance cutting', and 'Product Image:'. The app also shows 'Cutting Conditions'.




tungaloy.com/gabby/

MEMO

Tungaloy Canada Promotion Details:

- Valid July 1 - October 31, 2026
- Prices valid in Canada only
- No returns, exchanges only



Tungaloy Canada
432 Elgin St. Unit 3, Brantford
Ontario N3S 7P7, Canada
tungaloy.com/ca
webshop.tungaloycanada.com

L e a d i n g i n I n n o v a t i o n



 FIND US ON THE CLOUD!
machiningcloud.com

July 2026 (TA-NTK)