


切槽和切断刀具

TUNGCUT

Tungaloy Report No. 391S5-C

现在可提供 2 mm 槽宽和英制尺寸的
刀片






更多信息

刀片

DGM

外圆切槽和切断用, 双刀尖规格




型号	刀座尺寸	CW±0.05	RE	涂层					INSL	h
				AH7025						
DGM2.39-020	2	2.39	0.2	●					20	5
DGM3.18-020	3	3.18	0.2	●					20	5
DGM4.76-040	5	4.76	0.4	●					25	5.5
DGM6.35-040	6	6.35	0.4	●					25	5.5

★: 首选

阵容

DGS

外圆切槽和切断用, 双刀尖规格




型号	刀座尺寸	CW±0.05	RE	涂层					INSL	h
				AH7025						
DGS2.39-020	2	2.39	0.2	●					20	5
DGS3.18-020	3	3.18	0.2	●					20	5
DGS4.76-040	5	4.76	0.4	●					25	5.5
DGS6.35-040	6	6.35	0.4	●					25	5.5

★: 首选

阵容

DGL

外圆切槽和切断




型号	刀座尺寸	CW±0.05	RE	涂层							INSL	h	
				AH7025									
				★									
				★									
				★									
				★									
				★									
DGL2-020	2	2	0.2	●							20	5	

★: 首选
阵容

DTX

外圆和内孔的端面切槽和车削




型号	刀座尺寸	CW±0.05	RE	涂层			未涂层				INSL	h
				AH7025	AH8005	KS05F						
				★	☆							
				★	☆	☆						
				★		☆						
				★	★	★						
DTX2-020	2	2	0.2	●	●	●					20	5
DTX8-080	8	8	0.8	●	●	●					30	6.7

★: 首选
阵容

DTR

仿形和退刀槽



P	钢	★							
M	不锈钢	★	☆						
K	铸铁	★	☆	☆					
N	非铁金属			☆					
S	耐热合金	★	★	★					
H	硬材料								


★：首选
☆：第二选择

型号	刀座尺寸	CW±0.05	RE	涂层			未涂层			INSL	h
				AH7025	AH8005	KS05F					
DTR2-100	2	2	1	●	●	●				20	5

阵容

STR

仿形和退刀槽，单刀尖



P	钢	★							
M	不锈钢	★	☆						
K	铸铁	★	☆	☆					
N	非铁金属			☆					
S	耐热合金	★	★	★					
H	硬材料								

★：首选
☆：第二选择

型号	刀座尺寸	CW±0.05	RE	涂层			未涂层			INSL	h
				AH7025	AH8005	KS05F					
STR2-100	2	2	1	●	●	●				20	5

阵容



www.tungaloy.com/cn

follow us at:
facebook.com/tungaloyjapan
twitter.com/tungaloyjapan
www.youtube.com/tungaloycorporation



AS9100 Certified
78006
2015.11.04
ISO 14001 Certified
EC97J1123
1997.11.26

Distributed by:



FIND US ON THE CLOUD!
machingcloud.com

