

模块式刀具系统

TUNGFLEX

Tungaloy Report No. 419S1-C

具有出色刚性的硬质合金模块刀杆






具有高刚性的全新钨钢模块刀杆


■ 特点

- 硬质合金模块化刀杆与钢制模块刀杆相比可以实现更高的加工参数
- 在长悬伸工况下可有效抑制振动
- 带内冷孔设计可更好的实现型腔及槽的斜坡铣加工



SM

钢制模块式刀杆



型号	CRKS	DCONMS	LF	LB	BD	BHTA
SM06-L60C10	M6	10	60	20	9.7	0°
SM06-L105-C12	M6	12	105	60	9.7	1.2°
SM06-L125-C16	M6	16	125	60	9.7	3.3°
SM08-L73C16	M8	16	73	25	13	0°
SM08-L128-C16	M8	16	128	80	13	0.9°
SM08-L170-C20	M8	20	170	66.8	13	3.3°
SM10-L80C20	M10	20	80	30	18	0°
SM10-L130-C20	M10	20	130	80	18	0.6°
SM10-L200-C25	M10	25	200	57.2	19	3.3°
SM12-L86-C25	M12	25	86	30	21	5.1°
SM12-L200-C32	M12	32	200	78	21	4.4°
SM16-L95-C32	M16	32	95	35	29	1.7°
SM16-L230-C32	M16	32	230	50	29	1.8°


电子样本



New

SM-C-H

硬质合金模块刀杆



型号	CRKS	DCONMS	LF	LB	LS	BD	BD2	图
SM06-L100-C10-C-H	M6	10	100	-	-	10	-	1
SM06-L150-C10-C-H	M6	10	150	-	-	10	-	1
SM06-L100-C12-C-H	M6	12	100	-	-	12	-	1
SM06-L150-C12-C-H	M6	12	150	-	-	12	-	1
SM08-L80-20-C16-C-H	M8	16	80	20	59.6	15.3	-	2
SM08-L100-40-C16-C-H	M8	16	100	40	59.6	15.3	-	2
SM08-L150-80-C16-C-H	M8	16	150	80	69.6	15.3	-	2
SM08-L200-100-C16-C-H	M8	16	200	100	98.2	13	12.5	3
SM08-L200-140-C16-C-H	M8	16	200	140	59.6	15.3	-	2
SM08-L250-180-C16-C-H	M8	16	250	180	69.6	15.3	-	2
SM10-L80-20-C20-C-H	M10	20	80	20	59.2	18.5	-	2
SM10-L100-40-C20-C-H	M10	20	100	40	59.2	18.5	-	2
SM10-L150-80-C20-C-H	M10	20	150	80	69.2	18.5	-	2
SM10-L200-100-C20-C-H	M10	20	200	100	99.2	18.5	-	2
SM10-L200-140-C20-C-H	M10	20	200	140	58.7	18	17.5	3
SM10-L200-140-C20-C-H-N	M10	20	200	140	59.2	18.5	-	2
SM10-L250-130-C20-C-H	M10	20	250	130	118.7	18	17.5	3
SM10-L250-180-C20-C-H	M10	20	250	180	68.7	18	17.5	3
SM10-L250-180-C20-C-H-N	M10	20	250	180	69.2	18.5	-	2
SM10-L300-180-C20-C-H	M10	20	300	180	118.7	18	17.5	3
SM10-L300-230-C20-C-H	M10	20	300	230	68.7	18	17.5	3
SM12-L100-40-C25-C-H	M12	25	100	40	59.5	24	-	2
SM12-L150-80-C25-C-H	M12	25	150	80	67.7	21	20.5	3
SM12-L150-80-C25-C-H-N	M12	25	150	80	69.5	24	-	2
SM12-L200-100-C25-C-H	M12	25	200	100	97.7	21	20.5	3
SM12-L200-100-C25-C-H-N	M12	25	200	100	99.5	24	-	2
SM12-L200-140-C25-C-H	M12	25	200	140	57.7	21	20.5	3
SM12-L250-130-C25-C-H	M12	25	250	130	117.7	21	20.5	3
SM12-L250-180-C25-C-H	M12	25	250	180	69.5	24	-	2
SM12-L300-180-C25-C-H	M12	25	300	180	117.7	21	20.5	3
SM12-L300-180-C25-C-H-N	M12	25	300	180	119.5	24	-	2
SM12-L300-230-C25-C-H	M12	25	300	230	67.7	21	20.5	3
SM16-L100-40-C32-C-H	M16	32	100	40	58.5	29	-	2
SM16-L150-80-C32-C-H	M16	32	150	80	68.5	29	-	2
SM16-L200-100-C32-C-H	M16	32	200	100	98.5	29	-	2
SM16-L200-140-C32-C-H	M16	32	200	140	58.5	29	-	2
SM16-L250-130-C32-C-H	M16	32	250	130	118.5	29	-	2
SM16-L250-180-C32-C-H	M16	32	250	180	68.5	29	-	2
SM16-L300-180-C32-C-H	M16	32	300	180	118.5	29	-	2
SM16-L300-230-C32-C-H	M16	32	300	230	68.5	29	-	2
SM16-L350-230-C32-C-H	M16	32	350	230	118.5	29	-	2
SM16-L350-280-C32-C-H	M16	32	350	280	68.5	29	-	2

电子样本



总公司 泰珂洛超硬工具 (上海) 有限公司
ADD : 上海市静安区江场三路 88 号 401 室
TEL : 021-36321879 36321880
FAX : 021-36321918

天津分公司
ADD : 天津市河西区怒江道创智东园
2-1007 室
TEL : 022-83709199
FAX : 022-83709199

广州分公司
ADD : 广州市番禺区沙湾镇福龙路 999 号
沙湾珠宝产业园钻汇大厦 807 室
TEL : 020-38395085 38395116
FAX : 020-38395106

大连分公司
ADD : 大连经济技术开发区铁山中路 62 号
TEL : 0411-87963170
FAX : 0411-87963141

成都办事处
ADD : 成都市高新区益州大道中段 722 号
复城国际广场 T4-1709A
TEL : 028-61500820
FAX : 028-61500821

西安办事处
ADD : 陕西省西安市高新区锦业一路 56 号
研祥城市广场 B 座 2028 室
TEL : 029-81125898
FAX : 029-81125898



了解更多产品信息
请访问泰珂洛官方中文网站：
www.tungaloy.com/cn

查看产品视频请访问泰珂洛哔哩哔哩网站



<https://space.bilibili.com/701520171>



微信官方公众号

FIND US ON THE CLOUD!
machiningcloud.com



AS9100 Certified
78006
2015.11.04
ISO14001 Certified
EC97J1123
1997.11.26