


Expansion of the DrillForceMeister line with
a wider range of diameters - $\varnothing 20$ - 25.9 mm





Line-up expansion of ø20 - ø25.9 mm

Based on the big success of the existing range of DrillForceMeister and following market demand, Tungaloy has expanded the range of diameters. All heads are coated with our excellent wear resistant PVD coating, AH725.



Unique clamping system

Easy and quick yet rigid and reliable clamping method for excellent hole quality and long tool life

DrillForceMeister has a large contact area, thus it strongly withstands radical forces and low rigidity workpiece clamping.




Typical examples of unbalanced machining

Inclined exit	Inclined surface	Thin metal machining	Jump hole machining

TIS L/D=3

Head indexable drill

New



Designation	DC	DCONMS	DCSFMS	LU	LPR	LS	Pocket size	Head
TIS200F25-3	20 - 20.9	25	32	63.1	92.1	56	20	SMP20*
TIS210F25-3	21 - 21.9	25	32	66.3	95.1	56	21	SMP21*
TIS220F25-3	22 - 22.9	25	32	69.4	98.4	56	22	SMP22*
TIS230F25-3	23 - 23.9	25	32	72.6	101.4	56	23	SMP23*
TIS240F32-3	24 - 24.9	32	40	75.7	110.7	60	24	SMP24*
TIS250F32-3	25 - 25.9	32	40	78.9	113.7	60	25	SMP25*


Tool diameter	Hole diameter tolerance*
ø20 - ø25.9	+0.05 / 0

* Just for reference.

TIS L/D=5

Head indexable drill

New



Designation	DC	DCONMS	DCSFMS	LU	LPR	LS	Pocket size	Head
TIS200F25-5	20 - 20.9	25	32	103.1	132.1	56	20	SMP20*
TIS210F25-5	21 - 21.9	25	32	108.3	137.1	56	21	SMP21*
TIS220F25-5	22 - 22.9	25	32	113.4	142.4	56	22	SMP22*
TIS230F25-5	23 - 23.9	25	32	118.6	147.4	56	23	SMP23*
TIS240F32-5	24 - 24.9	32	40	123.7	158.7	60	24	SMP24*
TIS250F32-5	25 - 25.9	32	40	128.9	163.7	60	25	SMP25*

Tool diameter	Hole diameter tolerance*
ø20 - ø25.9	+0.08 / 0



* Just for reference.

SPARE PARTS



Designation	Clamping screw	Wrench	
		Torx Bit	Grip
TIS200F25-*	TS40178D25	BLDT20/S7	H-TB2W
TIS210F25-*	TS40178D25	BLDT20/S7	H-TB2W
TIS220F25-*	TS40198D28	BLDT20/S7	H-TB2W
TIS230F25-*	TS40198D28	BLDT20/S7	H-TB2W
TIS240F32-*	TS40210D3	BLDT20/S7	H-TB2W
TIS250F32-*	TS40210D3	BLDT20/S7	H-TB2W

New



P	Steel	★			
M	Stainless	★			
K	Cast iron	★			
N	Non-ferrous	☆			
S	Superalloys	★			
H	Hard materials	★			

★ : First choice
☆ : Second choice



Designation	DC	Coated								LPR	PL	Pocket Size	Body
		AH725											
SMP200	20	●								9.65	3.11	20	TIS200F25-*
SMP205	20.5	●								9.44	3.2	20	TIS200F25-*
SMP210	21	●								9.23	3.29	21	TIS210F25-*
SMP215	21.5	●								9.02	3.38	21	TIS210F25-*
SMP220	22	●								10.54	3.42	22	TIS220F25-*
SMP223	22.3	●								10.41	3.47	22	TIS220F25-*
SMP225	22.5	●								10.33	3.51	22	TIS220F25-*
SMP230	23	●								10.12	3.6	23	TIS230F25-*
SMP235	23.5	●								9.91	3.69	23	TIS230F25-*
SMP240	24	●								10.76	3.73	24	TIS240F32-*
SMP245	24.5	●								10.55	3.82	24	TIS240F32-*
SMP247	24.7	●								10.47	3.86	24	TIS240F32-*
SMP250	25	●								10.34	3.91	25	TIS250F32-*
SMP255	25.5	●								10.13	4	25	TIS250F32-*

●: Line up



STANDARD CUTTING CONDITIONS

ISO	Workpiece materials	Cutting speed V _c (m/min)	Feed: <i>f</i> (mm/rev)
			øD _c (mm)
			20 - 25.9
P	Low carbon steel (C15, C20, etc.)	80 - 140	0.2 - 0.5
	Carbon steel and alloy steel (S55C / C55, SCM440 / 42CrMo4, etc.)	80 - 130	0.2 - 0.5
	Prehardend steel (NAK80, PX5, etc.)	50 - 100	0.2 - 0.5
M	Stainless steel (SUS304 / X5CrNi18-9, SUS316 / X5CrNiMo17-12-3, etc.)	40 - 80	0.15 - 0.3
K	Grey cast iron (FC250 / 250, FC300 / 300, etc.)	80 - 180	0.25 - 0.55
	Ductile cast iron (400-15, 600-3, etc.)	80 - 140	0.25 - 0.55
N	Non ferrous materials	100 - 200	0.4 - 0.6
S	Heat-resistant alloys (Inconel718, etc.)	20 - 50	0.1 - 0.2
	Titanium alloys (Ti-6Al-4V, etc.)	20 - 50	0.1 - 0.2
H	Hardened materials	20 - 60	0.1 - 0.2

RECOMMENDED COOLANT PRESSURE AND VOLUME



REQUIRED MACHINE POWER AND TORQUE



- Please access to "Tungaloy machining power" to calculate more detailed cutting forces.

<https://www.imc-i.com/mpwr/MachiningPower>



HOW TO CHANGE DRILL HEAD





To unclamp rotate the screw 3-5 times counter-clockwise.




No need to remove the screw from the body.



- Please change the screw to new one when the screw does not rotate smoothly

PRACTICAL EXAMPLES

Workpiece type		Gate valve	Slewing ring
Drill		TIS300F40-5	TIS330F40-5
Head		SMP300	SMP331
Grade		AH725	AH725
Workpiece material		SUS304 / X5CrNi18-9	SCM440 / 42CrMo4
			
Cutting conditions	Cutting speed: V_c (m/min)	60	100
	Feed : f (mm/rev)	0.25	0.4
	Feed speed : V_f (mm)	160	380
	Drilling depth : H (mm)	120	150
	Machine	Horizontal M/C	Vertical M/C
Results		 DrillForceMeister provides 4 times productivity than HSS drill.	 DrillForceMeister provides 2 times productivity and more stable hole diameter compare with indexable drill.

Workpiece type		Link	Plate
Drill		TIS320F40-5	TIS260F32-3
Head		SMP321	SMP260
Grade		AH725	AH725
Workpiece material		SCM440 / 42CrMo4	SN490B
			
Cutting conditions	Cutting speed: V_c (m/min)	60	120
	Feed : f (mm/rev)	0.15	0.35
	Feed speed : V_f (mm)	90	514
	Drilling depth : H (mm)	43	22
	Machine	Horizontal M/C	Vertical M/C
Results		 Tool life 2.7 times!	 Productivity 2.1 times!
		DrillForceMeister provides 2.7 times tool life than head changeable drill.	DrillForceMeister provides 2.1 times productivity than indexable drill.

Tungaloy Corporation (Head office)

11-1 Yoshima-Kogyodanchi
Iwaki-city, Fukushima 970-1144 Japan
Phone: +81-246-36-8501
Fax: +81-246-36-8542
www.tungaloy.co.jp

Tungaloy America, Inc.

3726 N Ventura Drive
Arlington Heights, IL 60004, U.S.A.
Phone: +1-888-554-8394
Fax: +1-888-554-8392
www.tungaloy.com/us

Tungaloy Canada

432 Elgin St. Unit 3
Brantford, Ontario N3S 7P7, Canada
Phone: +1-519-758-5779
Fax: +1-519-758-5791
www.tungaloy.com/ca

Tungaloy de Mexico S.A.

C Los Arellano 113,
Parque Industrial Siglo XXI
Aguascalientes, AGS, Mexico 20290
Phone: +52-449-929-5410
Fax: +52-449-929-5411
www.tungaloy.com/mx

Tungaloy do Brasil Ltda.

Avd. Independencia N4158 Residencial Flora
13280-000 Vinhedo, São Paulo, Brasil
Phone: +55-19-38262757
Fax: +55-19-38262757
www.tungaloy.com/br

Tungaloy Germany GmbH

An der Alten Ziegelei 1
D-40789 Monheim, Germany
Phone: +49-2173-90420-0
Fax: +49-2173-90420-19
www.tungaloy.com/de

Tungaloy France S.A.S.

ZA Courtaboef - Le Rio
1 rue de la Terre de feu
F-91952 Courtaboef Cedex, France
Phone: +33-1-6486-4300
Fax: +33-1-6907-7817
www.tungaloy.com/fr

Tungaloy Italia S.r.l.

Via E. Andolfato 10
I-20126 Milano, Italy
Phone: +39-02-252012-1
Fax: +39-02-252012-65
www.tungaloy.com/it

Tungaloy Czech s.r.o.

Turanka 115
CZ-627 00 Brno, Czech Republic
Phone: +420-532 123 391
Fax: +420-532 123 392
www.tungaloy.com/cz

Tungaloy Ibérica S.L.

C/Miquel Servet, 43B, Nau 7
Pol. Ind. Bufalvent
ES-08243 Manresa (BCN), Spain
Phone: +34 93 113 1360
Fax: +34 93 876 2798
www.tungaloy.com/es

Tungaloy Scandinavia AB

Bultgatan 38
442 40 Kungälv, Sweden
Phone: +46-462119200
Fax: +46-462119207
www.tungaloy.com/se

Tungaloy Rus, LLC

Andropova avenue, h.18/7,
11 floor, office 3, 115432,
Moscow, Russia
Phone: +7-499-683-01-80
Fax: +7-499-683-01-81
www.tungaloy.com/ru

Tungaloy Polska Sp. z o.o.

Ul. Irysowa 1, 55-040 Bielany
Wrocławskie, Poland
Phone: +48 607 907 237
www.tungaloy.com/pl

Tungaloy U.K. Ltd

Gallan Park, Watling Street,
Cannock, WS110XG, UK
Phone: +44 121 4000 231
Fax: +44 121 270 9694
www.tungaloy.com/uk

Tungaloy Hungary Kft

Erzsébet királyné útja 125
H-1142 Budapest, Hungary
Phone: +36 1 781-6846
Fax: +36 1 781-6866
www.tungaloy.com/hu

Tungaloy Turkey

Serifali Mah. bayraktar Bulvari Kule Sk. No:26
34775 Umraniye / Istanbul / Turkey
Phone: +90 216 540 04 67
Fax: +90 216 540 04 87
www.tungaloy.com/tr

Tungaloy Benelux b.v.

Tjalk 70
NL-2411 NZ Bodegraven, Netherlands
Phone: +31 172 630 420
Fax: +31 172 630 429
www.tungaloy.com/nl

Tungaloy Croatia

Ulica bana Josipa Jelačića 87,
10430, Samobor, Croatia
Phone: +385 1 3326 604
Fax: +385 1 3327 683
www.tungaloy.com/hr

Tungaloy Cutting Tool (Shanghai) Co., Ltd.

Rm No 401 No.88 Zhabei
Jiangchang No.3 Rd
Shanghai 200436, China
Phone: +86-21-3632-1880
Fax: +86-21-3621-1918
www.tungaloy.com/cn

Tungaloy Cutting Tools (Taiwan) Co., Ltd.

9F, No.293, Zhongyang Rd,
Xinzhuang Dist, New Taipei City,
24251 Taiwan
Phone: +886-2-8521-9986
Fax: +886-2-8521-8935
www.tungaloy.com/tw

Tungaloy Cutting Tools (Thailand) Co., Ltd.

Interlink tower 4th Fl.
1858/5-7 Bangna-Trad Road
km.5 Bangna, Bangna, Bangkok 10260
Thailand
Phone: +66-2-751-5711
Fax: +66-2-751-5715
www.tungaloy.com/th

Tungaloy Singapore (Pte.), Ltd.

62 Ubi Road 1, #06-11 Oxley BizHub 2
Singapore 408734
Phone: +65-6391-1833
Fax: +65-6299-4557
www.tungaloy.com/sg

Tungaloy Vietnam

LE04.38, Lexington Residence
67 Mai Chi Tho St., Dist. 2,
Ho Chi Minh City, Vietnam
Phone: +84-2837406660
www.tungaloy.com/sg

Tungaloy India Pvt. Ltd.

Indiabulls Finance Centre,
Unit # 902-A, 9th Floor,
Tower 1, Senapati Bapat Marg,
Elphinstone Road (West),
Mumbai -400013, India
Phone: +91-22-6124-8804
Fax: +91-22-6124-8899
www.tungaloy.com/in

Tungaloy Korea Co., Ltd

#1312, Byucksan Digital Valley 5-cha
Beotkkot-ro 244, Geumcheon-gu
153-788 Seoul, Korea
Phone: +82-2-2621-6161
Fax: +82-2-6393-8952
www.tungaloy.com/kr

Tungaloy Malaysia Sdn Bhd

50 K-2, Kelana Mall, Jalan SS6/14
Kelana Jaya, 47301
Petaling Jaya, Selangor Darul Ehsan
Malaysia
Phone: +603-7805-3222
Fax: +603-7804-8563
www.tungaloy.com/my

Tungaloy Australia Pty Ltd

Unit 68 1470 Ferntree Gully Road
Knoxfield 3180 Victoria, Australia
Phone: +61-3-9755-8147
Fax: +61-3-9755-6070
www.tungaloy.com/au

PT. Tungaloy Indonesia

Kompleks Grand Wisata Block AA-10 No.3-5
Cibitung
Bekasi 17510, Indonesia
Phone: +62-21-8261-5808
Fax: +62-21-8261-5809
www.tungaloy.com/id



www.tungaloy.com

follow us at:

facebook.com/tungaloyjapan
twitter.com/tungaloyjapan
www.youtube.com/tungaloycorporation



AS9100 Certified
78006
2015.11.04
ISO14001 Certified
EC97J1123
1997.11.26

Distributed by:



FIND US ON THE CLOUD!
machiningcloud.com

