



w w w.tungaloy.com/us Tungaloy Report No. 517S1-US

# Vibration-Free Solution for Deep-Hole Boring Expand Center height set up device!












The ultimate solution for overcoming tool overhang challenges of up to L/D = 10




For more information

### Center height positioning

Precise center height positioning is another important factor to achieve the right dimensional tolerances and surface finish. BoreMeister has no flats on its cylindrical shank to secure the tool center. Use a center height device and dial gauge to properly adjust the tool center height. Serrated head with magnetic core ensures fixed position of the head on the shank without screws.



#### **AVC-SET**



inch	DCONMS	н	LPK	LB	Applicable snank
AVC-SET 16-25	0.787	0.591	0.571	0.350	0.625, 0.750, 1.000
AVC-SET 32-60	1.142	0.63	0.689	0.450	1.250, 1.500, 2.000, 2.500

## **Tungaloy America, Inc.**

3726 N Ventura Drive, Arlington Heights, IL 60004, U.S.A.

Inside Sales: +1-888-554-8394

Technical Support: +1-888-554-8391

Fax: +1-888-554-8392 www.tungaloy.com/us

### **Tungaloy Canada**

432 Elgin St. Unit 3, Brantford, Ontario N3S 7P7, Canada

Phone: +1-519-758-5779 Fax: +1-519-758-5791

www.tungaloy.com/ca

### Tungaloy de Mexico S.A.

C Los Arellano 113, Parque Industrial Siglo XXI Aguascalientes, AGS, Mexico 20290 Phone:+52-449-929-5410 Fax:+52-449-929-5411 www.tungaloy.com/mx



Scan for instant web access



w w w . t u n g a l o y . c o m / u s follow us at:

facebook.com/tungaloyjapantwitter.com/tungaloyjapanwww.youtube.com/tungaloycorporation

To see this product in action visit:

**Tung-TV** 

www.youtube.com/tungaloycorporation

Distributed by:



Dec. 2020 (TJ)