

FIXEDTORQUEWRENCH

Tungaloy Report No. 534-G



MERITS OF TORQUE CONTROL

High precision

Provides consistent toque levels, allowing extremely precise cutting edge positions.

longer tool life

Minimum axial runouts for reduced edge chipping risks.

WRENCH FEATURES

Easy setting

Multi-component handle optimally designed for the hand enables ideal torque transmission.

High repeatability and robustness

Close surface treatment on the blades ensures a superior engagement into the screw recess.

Easy setting

Handle

Multi-component handle optimally designed for the hand enables ideal torque transmission.



Mechanism

Driver clicks to alert the operator when the preset torque is attained.

IDs printed on the handle end allow easy identification of the driver specs.

Driver has unlimited loosening torque. Driver mechanism is industrial-lubricant-resistant.

■ High repeatability & robustness


Robustness / Fitting

Durability thanks to high quality steel, through hardened.

Versatility

Extra slim blade geometry is particularly suitable for applications with confined narrow access.









Designation	Stock	Torque (N·m)	Accuracy (%)	øD	L
TW-D-0.6NM	•	0.6	10	34	130
TW-D-0.9NM	•	0.9	10	34	130
TW-D-1.1NM	•	1.1	10	34	130
TW-D-1.4NM	•	1.4	10	34	130
TW-D-2.5NM	•	2.5	10	34	130
TW-D-3.0NM	•	3.0	10	34	130
TW-D-3.5NM	•	3.5	10	34	130

1 piece per package





Designation	Stock	TORX geom.	Н	L	L2	Fig.
TW-B-T6	•	T6	4	175	42	1
TW-B-T7	•	T7	4	175	42	1
TW-B-T8	•	T8	4	175	42	1
TW-B-T9	•	Т9	4	175	42	1
TW-B-T10	•	T10	4	175	42	1
TW-B-T15	•	T15	4	175	42	1
TW-B-6IP	•	6IP	4	175	42	2
TW-B-7IP	•	7IP	4	175	42	2
TW-B-8IP	•	8IP	4	175	42	2
TW-B-10IP	•	10IP	4	175	42	2
TW-B-15IP	•	15IP	4	175	42	2

1 piece per package



tungaloy.com

follow us at:

facebook.com/tungaloyjapan twitter.com/tungaloyjapan www.youtube.com/tungaloycorporation