



For more information

Solid carbide boring bar for small-diameter drilling and turning

TINY^{INI}TURNMULTI

Tungaloy Report No. 565-G

New solid carbide boring bars for small-diameter drilling and turning







TINY^{INI}TURNMULTI



Multifunctional solid carbide boring bar for small-diameter drilling and various turning processes

Boosts productivity for small part machining

- Multifunctional solid carbide boring bar for small-diameter drilling and various turning processes

Optimized design provides maximum tool stiffness during machining

New

TBMFR07...

From drilling to internal, external, and face turning

L/D = 2 & 3



Strategically positioned on the tool body, three coolant grooves provide effective chip evacuation and control



- Creates a flat hole bottom
- Excellent chip control by unique chipbreaker shape




In combination with 4 coolant holes tool sleeve, TBMFR07 delivers superior process security

Application ranges of multifunctional drilling and turning tool series




Enables multiple tool combinations and productivity boosts for small part machining

- A single tool for multiple applications
- Allows tool combinations while increasing the number of open slots in the turret or tool posts in your CNC lathes and Swiss machines
- Able to form a flat hole bottom



TINY^{INI}TURNMULTI

GRADE



SH725

PVD coated grade SH725

(Ti,Al)N coating combined with a tough carbide substrate dedicated for small parts machining offers excellent coating adhesion and edge sharpness.

Excellent resistance to wear and chip welding

Smooth coating surface of the cutting edge prevents coating from peeling off, while its incredible wear resistance provides longer tool life than existing grades.

High resistance to plastic deformation

Tough carbide substrate offers stable and longer tool life.

CUTTING PERFORMANCE

Chip control



TINY^{INI}TURNMULTI

Secure process with no chip entanglement



Competitor

Chips entangled on the tool

M	Toolholder	: JBBS19-7-L100C-4N
	Insert	: TBMFR0712001-D060 SH725
	Workpiece material	: SUS304 / X5CrNi18-9
	Cutting speed	: $V_c = 40$ m/min
	Feed	: $f = 0.02$ mm/rev
	Depth of cut	: $a_p = 0.2$ mm
	Coolant	: Wet

Wear on the cutting edge



TINY^{INI}TURNMULTI

Flank wear :
 $V_{bmax} = 0.10$ mm




Competitor

Flank wear :
 $V_{bmax} = 0.20$ mm

P	Toolholder	: JBBS254-7-L100C-4N
	Insert	: TBMFR0718003-D060
	Workpiece material	: SUJ2
	Cutting speed	: $V_c = 70$ m/min
	Feed	: $f = 0.02$ mm/rev
	Depth of cut	: $a_p = 0.75$ mm
	Tool life	: 500 pcs
	Coolant	: Internal

TBMFR07

Solid carbide boring bar for drilling and turning (internal, external, and face)




Designation	SH725	DC	DCONMS	LU	L/D	OAL	RE ^{+0.05} ₀
TBMFR0706001-D030	●	3	7	6	2	29.5	0.1
TBMFR0708001-D040	●	4	7	8	2	31.5	0.1
TBMFR0712002-D040	●	4	7	12	3	35.5	0.2
TBMFR0710001-D050	●	5	7	10	2	33.5	0.1
TBMFR0715003-D050	●	5	7	15	3	42.5	0.3
TBMFR0712001-D060	●	6	7	12	2	35.5	0.1
TBMFR0718003-D060	●	6	7	18	3	44.5	0.3
TBMFR0714001-D070	●	7	7	14	2	38.5	0.1

● : New product

JBBS-4N

Sleeve for internal coolant supply with 4 coolant holes



Designation	DCONMS	DCONWS	LF	LH	H	CNT
JBBS159-7-L100C-4N	15.875	7	100	10	14.58	Rc1/8
JBBS16-7-L100C-4N	16	7	100	10	15	Rc1/8
JBBS19-7-L100C-4N	19.05	7	100	20	17.2	Rc1/8
JBBS20-7-L100C-4N	20	7	100	20	18	Rc1/8
JBBS22-7-L100C-4N	22	7	100	20	20	Rc1/8
JBBS25-7-L100C-4N	25	7	100	23	23	Rc1/8
JBBS254-7-L100C-4N	25.4	7	100	23	23.4	Rc1/8

SPARE PARTS

Designation	Clamping screw	Wrench
JBBS**-7-L**C-4N	SSHM5-4PF-S	P-2.5

STANDARD CUTTING CONDITIONS

ISO	Workpiece material	Grade	Cutting speed: Vc (m/min)	
			Drilling	Turning
P	Low carbon steels S15C, S25C, etc. C15E, C15E4, etc.	SH725	20 - 100	40 - 140
	Carbon steels, Alloy steels S55C, SCM440, etc. C55, 42CrMo4, etc.	SH725	20 - 100	40 - 140
	Prehardened steels NAK80, PX5, etc.	SH725	20 - 100	40 - 140
M	Stainless steels SUS304, SUS316, etc. X5CrNi18-9, X5CrNiMo17-12-3, etc.	SH725	20 - 60	40 - 140
K	Grey cast irons FC250, FCD300, etc. GG25, 250, GG30, 300, etc.	SH725	30 - 100	30 - 100
	Ductile cast irons FC450, FCD600, etc. GGG60, 600-3, etc.	SH725	30 - 100	30 - 100
N	Aluminium alloys, Copper alloys Si < 12%	SH725	50 - 200	90 - 200
S	Titanium alloys Ti-6Al-4V, etc.	SH725	20 - 50	30 - 100
	Superalloys Inconel718, etc.	SH725	20 - 50	30 - 100










L/D = 2

Application range	Minimum bore diameter: DMIN (mm)									
	ø3		ø4		ø5		ø6		ø7	
	Depth of cut ap (mm)	Feed f (mm/rev)	Depth of cut ap (mm)	Feed f (mm/rev)	Depth of cut ap (mm)	Feed f (mm/rev)	Depth of cut ap (mm)	Feed f (mm/rev)	Depth of cut ap (mm)	Feed f (mm/rev)
Internal and external turning	0.2 - 1.5	0.01 - 0.08	0.2 - 2	0.01 - 0.08	0.2 - 2.5	0.01 - 0.08	0.2 - 3	0.01 - 0.08	0.3 - 3.5	0.01 - 0.08
Face turning	0.02 - 0.2	0.01 - 0.06	0.02 - 0.4	0.01 - 0.06	0.2 - 0.65	0.01 - 0.06	0.2 - 0.65	0.01 - 0.06	0.25 - 0.7	0.01 - 0.07
Drilling	-	0.01 - 0.06	-	0.01 - 0.06	-	0.01 - 0.08	-	0.01 - 0.08	-	0.01 - 0.1

L/D = 3

Application range	Minimum bore diameter: DMIN (mm)									
	ø3		ø4		ø5		ø6		ø7	
	Depth of cut ap (mm)	Feed f (mm/rev)	Depth of cut ap (mm)	Feed f (mm/rev)	Depth of cut ap (mm)	Feed f (mm/rev)	Depth of cut ap (mm)	Feed f (mm/rev)	Depth of cut ap (mm)	Feed f (mm/rev)
Internal and external turning	-	-	0.2 - 2	0.01 - 0.07	0.2 - 2.5	0.01 - 0.07	0.2 - 3	0.01 - 0.07	-	-
Face turning	-	-	0.02 - 0.4	0.01 - 0.04	0.2 - 0.65	0.01 - 0.04	0.2 - 0.65	0.01 - 0.04	-	-
Drilling	-	-	-	0.01 - 0.05	-	0.01 - 0.06	-	0.01 - 0.06	-	-

PRACTICAL EXAMPLES

Workpiece type		Joint	Machine part																												
Toolholder		JBBS19-7-L100C-4N	JBBS254-7-L100C-4N																												
Insert		TBMFR0718003-D060	TBMFR0718003-D060																												
Grade		SH725	SH725																												
Workpiece material		SUS316 / X5CrNiMo17-12-3	S45C / C45																												
		 M	 P																												
Cutting conditions	Cutting speed: V_c (m/min)	30	70																												
	Feed : f (mm/rev)	0.04	0.02																												
	Depth of cut : a_p (mm)	-	0.8																												
	Machining	Drilling	Internal turning																												
	Coolant	Internal	Internal																												
Results		 <p>Stable machining</p> <p>Vibration was an issue with the competitor tool. TinyMiniTurnMulti successfully eliminated vibration during machining, providing process security.</p>	 <p>Longer tool life !</p> <p>Repeated catastrophic failures were an issue with the competitor tool. TinyMiniTurnMulti provided excellent chipping resistance, increasing tool life.</p>																												
		<table border="1"> <thead> <tr> <th colspan="2">Workpiece type</th> <th>Spacer</th> </tr> </thead> <tbody> <tr> <td colspan="2">Toolholder</td> <td>JBBS19-7-L100C-4N</td> </tr> <tr> <td colspan="2">Insert</td> <td>TBMFR0712001-D060</td> </tr> <tr> <td colspan="2">Grade</td> <td>SH725</td> </tr> <tr> <td colspan="2" rowspan="2">Workpiece material</td> <td>SUS304 / X5CrNi18-9</td> </tr> <tr> <td> M</td> </tr> <tr> <td rowspan="5">Cutting conditions</td> <td>Cutting speed: V_c (m/min)</td> <td>Drilling: 30, Turning : 40</td> </tr> <tr> <td>Feed : f (mm/rev)</td> <td>Drilling: 0.015, Turning : 0.03</td> </tr> <tr> <td>Depth of cut : a_p (mm)</td> <td>Turning : 0.5</td> </tr> <tr> <td>Machining</td> <td>Drilling, facing and internal turning</td> </tr> <tr> <td>Coolant</td> <td>Internal</td> </tr> <tr> <td colspan="2" rowspan="2">Results</td> <td>  <p>Conventional tooling (for drilling, facing and internal turning)</p> <p>A single TinyMiniTurnMulti performed three different operations, allowing significant productivity improvement.</p> </td> </tr> </tbody> </table>		Workpiece type		Spacer	Toolholder		JBBS19-7-L100C-4N	Insert		TBMFR0712001-D060	Grade		SH725	Workpiece material		SUS304 / X5CrNi18-9	 M	Cutting conditions	Cutting speed: V_c (m/min)	Drilling: 30, Turning : 40	Feed : f (mm/rev)	Drilling: 0.015, Turning : 0.03	Depth of cut : a_p (mm)	Turning : 0.5	Machining	Drilling, facing and internal turning	Coolant	Internal	Results
Workpiece type		Spacer																													
Toolholder		JBBS19-7-L100C-4N																													
Insert		TBMFR0712001-D060																													
Grade		SH725																													
Workpiece material		SUS304 / X5CrNi18-9																													
		 M																													
Cutting conditions	Cutting speed: V_c (m/min)	Drilling: 30, Turning : 40																													
	Feed : f (mm/rev)	Drilling: 0.015, Turning : 0.03																													
	Depth of cut : a_p (mm)	Turning : 0.5																													
	Machining	Drilling, facing and internal turning																													
	Coolant	Internal																													
Results		 <p>Conventional tooling (for drilling, facing and internal turning)</p> <p>A single TinyMiniTurnMulti performed three different operations, allowing significant productivity improvement.</p>																													

Tungaloy Corporation (Head office)

11-1 Yoshima-Kogyodanchi
Iwaki-city, Fukushima 970-1144 Japan
Phone: +81-246-36-8501
Fax: +81-246-36-8542
www.tungaloy.co.jp

Tungaloy-NTK America Inc.

3726 N Ventura Drive
Arlington Heights, IL 60004, U.S.A.
Phone: +1-888-554-8394
Fax: +1-888-554-8392
www.tungaloy.com/us

Tungaloy Canada

432 Elgin St. Unit 3
Brantford, Ontario N3S 7P7, Canada
Phone: +1-519-758-5779
Fax: +1-519-758-5791
www.tungaloy.com/ca

Tungaloy-NTK De Mexico S.A.

C. Los Arellano 113,
Parque Industrial Siglo XXI
Aguascalientes, AGS, Mexico 20290
Phone: +52-449-929-5410
Fax: +52-449-929-5411
www.tungaloy.com/mx

Tungaloy-NTK do Brasil Ltda.

Avd. Independencia N4158 Residencial Flora
13280-000 Vinhedo, São Paulo, Brasil
Phone: +55-19-38262757
Fax: +55-19-38262757
www.tungaloy.com/br

Tungaloy-NTK Germany GmbH.

Katzbergstr. 3a
D-40764 Langenfeld, Germany
Phone: +49-2173-90420-0
Fax: +49-2173-90420-19
www.tungaloy.com/de

Tungaloy France s.a.s

Les Fjords
19 avenue de Norvège
91140 Villebon Sur Yvette, France
Phone: +33-1-6486-4300
Fax: +33-1-6907-7817
www.tungaloy.com/fr

Tungaloy Italia S.r.l.

Via E. Andolfato 10
I-20126 Milano, Italy
Phone: +39-02-252012-1
Fax: +39-02-252012-65
www.tungaloy.com/it

Tungaloy Czech s.r.o.

Turanka 115
CZ-627 00 Brno, Czech Republic
Phone: +420-532 123 391
Fax: +420-532 123 392
www.tungaloy.com/cz

Tungaloy Ibérica S.L.

C/Miquel Servet, 43B, Nau 7
Pol. Ind. Bufalvent
ES-08243 Manresa (BCN), Spain
Phone: +34 93 113 1360
Fax: +34 93 876 2798
www.tungaloy.com/es

Tungaloy Scandinavia AB

Bultgatan 38
442 40 Kungälv, Sweden
Phone: +46-462119200
Fax: +46-462119207
www.tungaloy.com/se

Tungaloy Rus, LLC

Andropova avenue, h.18/7,
11 floor, office 3, 115432,
Moscow, Russia
Phone: +7-499-683-01-80
Fax: +7-499-683-01-81
www.tungaloy.com/ru

Tungaloy Polska Sp. z o.o.

Ul. Irysowa 1, 55-040 Bielany
Wroclawskie, Poland
Phone: +48 607 907 237
www.tungaloy.com/pl

Tungaloy-NTK UK Ltd.

Suite 3, Pioneer House, Mill Street,
Cannock, WS11 0EF, UK
Phone: +44 121 4000 231
Fax: +44 121 270 9694
www.tungaloy.com/uk

Tungaloy Hungary Kft

Erzsébet királyné útja 125
H-1142 Budapest, Hungary
Phone: +36 1 781-6846
Fax: +36 1 781-6866
www.tungaloy.com/hu

Tungaloy Turkey

Serifali Mah.bayraktar Bulvari Kule Sk. No:26
34775 Umraniye / Istanbul / Turkey
Phone: +90 216 540 04 67
Fax: +90 216 540 04 87
www.tungaloy.com/tr

Tungaloy Benelux b.v.

Tjalk 70
NL-2411 NZ Bodegraven, Netherlands
Phone: +31 172 630 420
Fax: +31 172 630 429
www.tungaloy.com/nl

Tungaloy Croatia

Ulica bana Josipa Jelačića 87,
10430, Samobor, Croatia
Phone: +385 1 3326 604
Fax: +385 1 3327 683
www.tungaloy.com/hr

Tungaloy Cutting Tool (Shanghai) Co. Ltd.

Rm No 401 No.88 Zhabei
Jiangchang No.3 Rd
Shanghai 200436, China
Phone: +86-21-3632-1880
Fax: +86-21-3621-1918
www.tungaloy.com/cn

Tungaloy Cutting Tools Taiwan Co. Ltd.

9F, No.293, Zhongyang Rd,
Xinzhuang Dist, New Taipei City,
24251 Taiwan
Phone: +886-2-8521-9986
Fax: +886-2-8521-8935
www.tungaloy.com/tw

Tungaloy-NTK Cutting Tool (Thailand) Co.,Ltd.

Interlink tower 4th Fl.
1858/5-7 Bangna-Trad Road
km.5 Bangna, Bangna, Bangkok 10260
Thailand
Phone: +66-2-751-5711
Fax: +66-2-751-5715
www.tungaloy.com/th

Tungaloy Singapore (Pte.), Ltd.

62 Ubi Road 1, #06-11 Oxley BizHub 2
Singapore 408734
Phone: +65-6391-1833
Fax: +65-6299-4557
www.tungaloy.com/sg

Tungaloy Vietnam

LE04.38, Lexington Residence
67 Mai Chi Tho St., Dist. 2,
Ho Chi Minh City, Vietnam
Phone: +84-2837406660
www.tungaloy.com/sg

Tungaloy India Pvt. Ltd.

One International Center,
Unit # 902-A, 9th Floor,
Tower 1, Senapati Bapat Marg,
Elphinstone Road (West),
Mumbai 400013, India
Phone: +91-22-6124-8803
Fax: +91-22-6124-8899
www.tungaloy.com/in

Tungaloy Korea Co., Ltd

#1312, Byucksan Digital Valley 5-cha
Beotkkot-ro 244, Geumcheon-gu
153-788 Seoul, Korea
Phone: +82-2-2621-6161
Fax: +82-2-6393-8952
www.tungaloy.com/kr

Tungaloy Malaysia Sdn Bhd

50 K-2, Kelana Mall, Jalan SS6/14
Kelana Jaya, 47301
Petaling Jaya, Selangor Darul Ehsan
Malaysia
Phone: +603-7805-3222
Fax: +603-7804-8563
www.tungaloy.com/my

Tungaloy Australia Pty Ltd

Unit 68 1470 Ferntree Gully Road
Knoxfield 3180 Victoria, Australia
Phone: +61-3-9755-8147
Fax: +61-3-9755-6070
www.tungaloy.com/au

PT. Tungaloy Indonesia

Ruko Blok AA.10 No3&5, Grand Wisata,
Lembangjaya, Tambun Selatan, Bekasi,
17510 Indonesia
Phone: +62-21-8261-5808
Fax: +62-21-8261-5809
www.tungaloy.com/id



tungaloy.com

follow us at:

facebook.com/tungaloyjapan

twitter.com/tungaloyjapan

www.youtube.com/tungaloycorporation

Distributed by:



Tungaloy APP & SNS

FIND US ON THE CLOUD!
machingcloud.com



AS9100 Certified
78006
2015.11.04
ISO 14001 Certified
EC97J1123
1997.11.26